

Innovations 2019



BORA Classic 2.0

No compromise, no limits.

BORA Classic 2.0 stands for unrestricted freedom in your kitchen.

Minimalist design

The cooktop and extractor can be fully flush mounted. The perfect lines blend in elegantly with any kitchen design. On standby mode, the controls are practically invisible and, during operation, they are scaled down to the essentials thanks to intelligent lighting.

Intuitive sControl+ control panel

The unique control panel is simpler than ever: intuitively move the index finger up and down in a smooth hollow or tap the controls. All of the important functions at your fingertips.

Simple cleaning

Parts that come into contact with cooking vapours can be easily removed through the accessible, wide air inlet aperture. They can be cleaned in the dishwasher, where they take up very little space. If anything is spilled during cooking, liquids or food are safely caught in the integrated drip tray.

Precise temperature control

The Tepan stainless steel grill offers maximum power, two large grilling areas and unique, precise temperature control. The desired temperature can be set directly down to the last degree and is accurately maintained. Rapid heating to 250°C in under 5 minutes saves time and energy.

Oversized 4 24 cooking area

Thanks to the central controls on the extractor, no space is lost to controls on the cooktop, meaning that there is room to cook with 4 pots measuring up to 24 cm at the same time. Especially large surface induction cooking zones ensure that even very large pots or roasters are consistently warmed through.

Minimum volume

Always exceptionally quiet – even on high power levels: the reason for this is the optimum airflow thanks to the BORA Ecotube system components and the use of an extremely quiet fan in the kitchen plinth area. There are no distractions while you're cooking, and your conversations are undisturbed.

Modular system

BORA offers a wide range of cooktops from surface induction, induction, HiLight and Hyper to wok or Tepan stainless steel grill, which can be freely combined with the extractor system. Combinations with one, three or more cooktops are also possible.

Automatic extractor control

The power level of the extractor adjusts itself depending on current cooking behaviour. Constant, manual adjustment is not necessary. Meaning that you can focus 100% on your cooking.

Available from March 2019



CKA2*

Bora cooktop extractor



CKCB

BORA HiLight glass ceramic cooktop with 2 cooking zones 1-ring/2-ring/roaster



CKCH

BORA Hyper glass ceramic cooktop with 2 cooking zones 1-ring/2-ring



CKI

BORA induction glass ceramic cooktop with 2 cooking zones



CER

BORA Classic inlay frame for semi-surface mounted installation



CKFI

BORA surface induction glass ceramic cooktop with 2 cooking zones



CKIW

BORA induction glass ceramic wok



CKT

BORA Tepan stainless steel grill with 2 cooking zones

All cooktops measure 327 × 515 mm

*Compatible with all BORA Ecotube components.

BORA Classic 2.0 set variants

The advantage: one order number - one price

Please order
sockets
separately

CKA2HB* – BORA Classic 2.0 set Hyper roaster



BORA Hyper glass ceramic cooktop & BORA HiLight glass ceramic cooktop with 2 cooking zones consisting of:

- **1 x CKA2:** BORA Classic cooktop extractor
- **1 x CKCH:** BORA Classic Hyper glass ceramic cooktop with 2 cooking zones
1 ring/2 ring
- **1 x CKCB:** BORA Classic HiLight glass ceramic cooktop with 2 cooking zones
1 ring/2 ring/roaster
- **1 x CESDF:** BORA Classic 2.0 Ecotube set with USDF
- **1 x ULS:** BORA EC plinth fan
- **1 x EFV:** BORA Ecotube duct connector shallow incl. sealing material

CKA2I* – BORA Classic 2.0 set induction



BORA induction glass ceramic cooktop with 2 cooking zones consisting of:

- **1 x CKA2:** BORA Classic cooktop extractor
- **2 x CKI:** BORA Classic induction glass ceramic cooktops
each with 2 cooking zones
- **1 x CESDF:** BORA Classic 2.0 Ecotube set with USDF
- **1 x ULS:** BORA EC plinth fan
- **1 x EFV:** BORA Ecotube duct connector shallow incl. sealing material

CKA2FI* – BORA Classic 2.0 set surface induction



BORA surface induction glass ceramic cooktop with 2 cooking zones consisting of:

- **1 x CKA2:** BORA Classic cooktop extractor
- **2 x CKFI:** BORA Classic surface induction glass ceramic cooktops
each with 2 cooking zones
- **1 x CESDF:** BORA Classic 2.0 Ecotube set with USDF
- **1 x ULS:** BORA EC plinth fan
- **1 x EFV:** BORA Ecotube duct connector shallow incl. sealing material

CKA2FIT* – BORA Classic 2.0 set surface induction Tepan



BORA surface induction glass ceramic cooktop and BORA Tepan stainless steel grill with 2 cooking zones consisting of:

- **1 x CKA2:** BORA Classic cooktop extractor
- **1 x CKFI:** BORA Classic surface induction glass ceramic cooktop with 2 cooking zones
- **1 x CKT:** BORA Classic Tepan stainless steel grill with 2 cooking zones
- **1 x CESDF:** BORA Classic 2.0 Ecotube set with USDF
- **1 x ULS:** BORA EC plinth fan
- **1 x EFV:** BORA Ecotube duct connector shallow incl. sealing material

*Compatible with all BORA Ecotube components.

BORA Pure

A class of its own.

Minimalist design

The cooktop and extractor can be fully flush mounted. The perfect lines blend in elegantly with any kitchen design. On standby mode, the controls are practically invisible and during operation they are scaled down to the essentials thanks to intelligent lighting.

Automatic extractor control

The power level of the extractor adjusts itself depending on current cooking behaviour. Constant, manual adjustment is not necessary. Meaning that you can focus 100% on your cooking.

Simple cleaning

Parts that come into contact with cooking vapours can be easily removed through the accessible, wide air inlet aperture. They can be cleaned in the dishwasher, where they take up very little space. If anything is spilled during cooking, the grease filter with its integrated drip tray safely catches both liquids and solids.

Easy filter change

In recirculation mode, odours are neutralised by a highly-efficient activated charcoal filter. To make life easier, the filter is changed from the top through the air inlet aperture – without having to remove drawers or plinth panels.

Intuitive sControl control panel

The unique vertical slider makes operation via the intuitive up and downwards movement of your finger or direct tapping with the fingertip even easier. All of the important functions at your fingertips in a flash.

Oversized 4 24 cooking area

Thanks to the central controls and optimum arrangement of the cooking zones, there is room to cook with 4 pots measuring up to 24 cm at the same time.

Minimum volume

Always exceptionally quiet – even on high power levels: this is thanks to the optimum airflow and use of an extremely quiet fan. There are no distractions while you're cooking, and your conversations are undisturbed.

Maximum storage space


The low height of 199 mm and the integrated recirculation filter unit guarantee maximum storage space for pots and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Available from May 2019




PURA/PURU* 760 × 515 mm

BORA Pure induction glass ceramic cooktop with integrated cooktop extractor – exhaust air/recirculation



BKR760

BORA Pure cooktop frame for surface mounting



Coloured air inlet nozzles

Add your own personal touch: apart from black, the air inlet nozzle is available in five more colours – orange, red, blue, jade green and rose gold. This means that the customer can tailor the kitchen to meet their requirements. The nozzle can be changed in just a few easy steps.



PUEDR

BORA Pure air inlet nozzle red



PUEDB

BORA Pure air inlet nozzle blue



PUEDO

BORA Pure air inlet nozzle orange



PUEDG

BORA Pure air inlet nozzle rose gold



PUEDJ

BORA Pure air inlet nozzle jade green

*Compatible with all BORA Ecotube components.

BORA Professional 2.0

PKASFIAB – BORA Professional 2.0 set surface induction All Black (Available from March 2019)



BORA surface induction glass ceramic cooktop with 2 cooking zones consisting of:

- **1 x PKASAB:** BORA Professional 2.0 cooktop extractor system All Black
- **2 x PKFI11:** BORA Professional 2.0 surface induction glass ceramic cooktops with 2 cooking zones
- **1 x EFV:** BORA Ecotube duct connector shallow
- **1 x EF750/1:** BORA Ecotube shallow duct 750 mm
- **1 x EFBV90:** BORA Ecotube 90° bend, shallow vertical



New to the range is the all-over black design of Professional 2.0 – the All Black edition.

The stainless steel surface of the extractor system and the control knob have been further refined by an elaborate coating procedure which is also used in medicine and engine technology. The elegant matt black appearance blends in perfectly with modern kitchen designs.

You will find an overview of the new BORA “All Black” sockets on page 11.



PKI / PKFI – BORA Professional 2.0 cooktops with power level display (Available from March 2019)

Everything at a glance: the selected power level or function is also shown on the cooktop as well as on the control knob.



PKI11

BORA Pro induction glass ceramic cooktop with 2 cooking zones



PKFI11

BORA Pro surface induction glass ceramic cooktop with 2 cooking zones

PKG11 – BORA Professional 2.0 gas cooktop sunken gas burners (Available from April 2019)

No need to install an air baffle: the cooktop offers optimum performance – the flame is barely affected by the extractor. The reason: the unique gas cooktop design with sunken gas burners.



PKG11

BORA Pro gas glass ceramic cooktop with 2 cooking zones



BORA System

New BORA Ecotube accessory for the exhaust air model

To be able to provide optimum performance from your BORA system down to the very last detail, we offer a full range of perfectly suited system products. We see it as our duty to think of everything and constantly improve.



EFS750/1

BORA Ecotube shallow duct with partition
750 mm

(Available from April 2019)

Specially designed for floor installation

The shallow duct with partition was specially developed for floor installation and provides additional stability against pressure and knocks.



UEBR/UEBRK

BORA 3box wall sleeve round/round short

(Available from April 2019)

Excellent heat insulation

Thanks to the 3-chamber principle with insulated cover flaps, heat loss is reduced to a minimum. This means the wall sleeve is perfect for installation in passive, low and minimum energy buildings.



UFKS

BORA window contact switch

(Available now)

Safety

Thanks to the window contact switch, where there is an ambient-air independent fireplace, sufficient fresh air is guaranteed at all times as the vapour extraction system can only be operated when the window is open.

BORA sockets All Black (Available March 2019)

The stainless steel ring in the sockets has been refined via an elaborate coating procedure. The elegant matt black appearance blends in perfectly with modern kitchen designs.



USTFAB

BORA socket
(type F) All Black

Countries: DE/AT/IT/
ES/LU/PT/RU/BR/SE



USTEAB

BORA socket
(type E) All Black

Countries: BE/FR/
DK/PL/CZ/SK



USTJAB

BORA socket
(type J) All Black

Countries: CH/LI



USTGAB

BORA socket
(type G) All Black

Countries: UK/AE/SG



USTLAB

BORA socket
(type L) All Black

Countries: IT/SL

